High-Speed Colour Inkjet Press



RICOH Pro VC60000

🛛 Printer



RICOH Pro VC60000 The Next Generation of Professional Digital Press

This is a milestone in the evolution of high-speed colour inkjet technology. Built upon our rich heritage of continuous research, development and innovation, the Pro VC60000 is the next generation of digital press built from Ricoh's technology. It sets a new benchmark for quality, productivity, efficiency and versatility.

200 eter Insertion

Chilleter Contraction

Colour and Mono Boog

Service Bureau 000 inthe

Transation fracto

The Pro VC60000 enables a more rapid shift from offset to digital for commercial printers focused on data-driven workflow requiring highspeed colour inkjet press, vibrant print quality and media flexibility that includes books, manuals, brochures, personalized collaterals, direct and precision marketing materials. It reduces the make-ready time, speedsup turn-around time, maximizes operational efficiency and allows greater control of costs.

^eData Customisation Capable of producing more than 120,000 A4 images per hour, the Pro VC60000 provides a function-rich total solution for customers who are new to digital colour and for those who want to consolidate and streamline their operations for business growth. It will enable commercial printers, inhouse and service bureaus to move graphic-art applications to high quality digital press.

Versatile, Powerful and Exceptional Colour Quality

Class-Leading Print Quality

Premium print quality is assured with Ricoh's next generation of print-head technology and high-density, rich and durable pigment ink, which are the result of 25 years experience in developing core inkjet technologies. The technology of dynamic variable drop-size at pixel level can make droplets as small as 2 picoliters. Combined with the Ricoh's unique Dynamic Print-head Positioning technology to ensure tight colour registration, it results in a new level of print quality comparable to offset.

Impressive Productivity

Ricoh's advanced drop-on-demand Piezo print-head and water-based pigment ink print at impressive speeds and resolutions, which help customers to meet tight deadlines faster than traditional printing technologies:

- · 150 m/min at 600 x 600 dpi
- · 120 m/min at 600 x 600 dpi
- · 75 m/min at 1200 x 600 dpi
- · 50 m/min at 1200 x 1200 dpi
- Target volume per duplex system is up to 40 million impressions per month for optimum productivity

Broad Media Range

A broad range of media can be supported, with uncoated, coated offset, inkjet treated and recycled papers from 40 to 250gsm, at width of 165 to 520mm. Optional undercoat module enables printing on offset coated stocks and optional protector-coat module provides a durable 'scratch-and-scuff' resistant layer to protect critical documents. Optional air-dryer module speeds-up time with heavy colour coverage applications on offset stocks. From direct-mails, collaterals and books, to postcards, marketing materials and personalized documents, it gives customers more applications to offer to the market and grow their market share.

New Digital Front-End

The TotalFlow Print Server R600A is a Ricoh newly designed and developed Digital Front-End, which supports multiple native data-streams, including PS, PDF, PDF/VT and AFP/IPDS, plus JDF/JMF enabled. It also has a new easy-to-operate user-interface, with advanced colour management and imposition tools, designed specifically for the challenges of graphics-art production.

Comprehensive Solution

The Pro VC60000 can be further supported by Ricoh TotalFlow software suite, including Ricoh Process Director, a powerful and modular software that allows print service providers to automate the workflow of production jobs smoothly and with complete integrity, while retaining flexible control of the production printing processes.

Scalability and Flexibility

Scalability and flexibility are essential for production printing operation. With its modular architecture, the Pro VC60000 supports a variety of configuration options that fit into existing environment to meet customers' needs now and grow with their business. It ensures graphic-art business can gain enhanced productivity while controlling costs. It's the ideal investment for printers seeking to 'future-proof' their business and to reach new clients with innovative applications.

About Ricoh

Ricoh is a global digital technology specialist with 25 years of developing, innovating and manufacturing office image equipment, production print solutions, document management systems and IT services. It is known for the quality of its technology, the exceptional standard of its customer service and sustainable initiatives that help businesses be more productive and profitable.

Printing Technology	4 colours CMYK Drop-on-demand, Ricoh latest generation of Piezo print-head Single-pass (10 x 1200 dpi print-head modules per colour) Dynamic variable drop-size at pixel level - drops from 2 picoliters Enhanced colour registration with Dynamic Print-head Positioning Technology
Resolution / Print Speed	600 x 600 dpi: 150 m/min (4 colours - 2-bits/spot) 600 x 600 dpi: 120 m/min (4 colours - 2-bits/spot) 1200 x 600 dpi: 75 m/min (4 colours - 2-bits/spot) 1200 x 1200 dpi: 50 m/min (4 colours - 2-bits/spot)
Productivity (2-up Duplex)	600 x 600 dpi: 2,020 A4 impressions/minute 600 x 600 dpi: 1,616 A4 impressions/minute 1200 x 600 dpi: 1,010 A4 impressions/minute 1200 x 1200 dpi: 672 A4 impressions/minute
Target Volume (2-up Duplex)	Up to 121,200 A4 impressions/hour Up to 40 million A4 impressions/month
Ink Technology	Ricoh developed and manufactured, high-density low water content pigment ink Capacity: 2 x 10 liters Polystyrene cartridge per colour, on-the-fly replacement support
Digital Front- End	Industry leading colour management control Enhanced impositioning tool JDF/JMF enabled Data-stream: PS, PDF, PDF/VT, AFP/IPDS Graphical user-interface with remote access support
Paper Specifications	Width: 165 to 520mm (6.5" to 20.5") Length: 101.6 to 660.4mm (4" to 26") Weight: 40 to 250gsm Type: Plain, general offset coated, IJ coated, IJ treated, recycled Non-printed area: 2mm from paper-edge
Machine Specifications	Optional Undercoat and Protector-coat modules Layout: 2 print-engines per duplex system in I (inline) or L (left-angle) configuration



www.ricoh-ap.com

The facts and figures shown in this brochure relate to specific business cases. Individual circumstances may produce different results. All brand and/or product and service names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. Copyright © 2014 Ricoh Asia Pacific Pte Ltd. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Asia Pte Ltd.